


Berry Bird Scrubber

Model B-BS-4-E



The Berry Bird Scrubber BBS4-E is constructed of stainless steel material designed as a round cabinet. It has the capacity to cleanse up to 300 birds per minute. The Berry Bird Scrubber 4 should be positioned after the killer and before the scalders on the picking line or after the inspectors but before the bird chiller on the evisceration line. The continuous motion of the fingers brushing the bird combined with the spray nozzles rinsing the matter away results in a reduction of the level of contamination. Poultry processing plants may spend upward of \$25,000 per month for on line processing aids to reduce contamination. The BBS4-E should drastically reduce or possibly eliminate the need for the on-line additives thereby reducing the cost incurred.

Berry Bird Scrubber - Model B-BS-4-E



WATER	1/2" NPT CONNECTION (9) 1/4" SPRAY NOZZLES PER SIDE 9 GPM @ 40 PSI 40 PSI, 30 GPM FOR ALL 5 PPM CHLORINE, APPROX 30 GPM FROM BERRY WATER REUSE SCREEN
POWER	(2) ELECTRIC MOTORS, 10 HP, 1770 RPM, 3 Phase
CAPACITY	UP TO 300 BPM
HEIGHT	DETERMINED BY SHACKLE SETUP AND BIRD SIZE
WIDTH	APPROX 78"
LENGTH	APPROX 72"

The specifications as stated herein are the most current at the time of publication. However, consistent with our standard of continual product development, we reserve the right to change the design without notice or obligation to modify any equipment previously sold or delivered. 12/01/2007

Berry Plumbing & Equipment

6736 Cleveland Highway, Clermont Georgia 30527

Email: tberry@berryequipment.net

Phone: 770-983-3929 Toll Free Fax: 1-866-808-9957

Berry Bird Scrubber - B-BS-4-E

Construction:


The **Berry BS4-E** is designed for maximum safety and ease of operation. The machine is constructed entirely of stainless steel for durability and easy cleanup.

Operation:

The **Berry Bird Scrubber 4-E** is electrically driven and built of SS. The machine is capable of processing up to 300 BPM.

Maintenance:

With proper operation, the only other maintenance the **Berry Bird Scrubber 4-E** requires is daily cleaning and checking of various parts such as the bearings, gears and rollers for wear and fractures.



The

specifications as stated herein are the most current at the time of publication. However, consistent with our standard of continual product development, we reserve

Berry Plumbing & Equipment

6736 Cleveland Highway, Clermont Georgia 30527

Email: tberry@berryequipment.net

Phone: 770-983-3929 Toll Free Fax: 1-866-808-9957