

Model B-FP-5-10



NEW! The B-FP-5-10 Foot Picker greatly improves paw quality! Available with Electric or Hydraulic motor!

Model **B-FP-5-10 Foot Picker** from Berry Plumbing & Equipment Company, the perfect compliment to your Berry Paw Harvesting System, gently removes any remaining cuticle from the paw without damaging the product. Advantages are cooler temperatures, longer dwell time (which aids in removing ammonia burns) and larger capacity.

WATER:	2" CONNECTION — APPROX 25 GPM @ APPROXIMATELY 120 to 160°
ELECTRICITY:	1— 15 H.P. ELECTRIC MOTOR, 870 RPM, 230/460 V, 42.2/21.1 AMPS, 3 PHASE, TEFC
ROTATING PICKER ASSEMBLY SPEED	480 RPM
CAPACITY:	APPROX 560 PIECES PER MINUTE
POSITION IN LINE:	AFTER PAW HARVESTER
HEIGHT:	Approx. 52-1/2"
PRODUCT ENTRANCE HEIGHT:	Approx. 52.5"
PRODUCT EXIT HEIGHT:	Approx: 11-1/2"
WIDTH:	Approx. 27-1/2"
DEPTH:	Approx. 121" (cabinet length)
OVERALL LENGTH:	Approx. 160"

Construction:

The frame and cabinet of the Berry Plumbing & Equipment **Foot Picker Model B-FP-5-10** is constructed entirely of stainless steel for durability and easy cleanup. Picking fingers are made of rubber.

Operation:

Paws are deposited into the **Model B-FP-5-10 Foot Picker** from the **Paw Harvester**. Here they are gently cleaned as they traverse a system of fixed and rotating fingers and pressurized water which remove all remaining cuticle from the paws. Waste falls from the **B-FP-5-10 Foot Picker** through the perforated basin into a catch pan under the picker. Paws emerge thoroughly cleaned with very little damage to the product.

Maintenance:

Berry Plumbing & Equipment Company designers and technicians have taken great care in assuring that the **Model B-FP-5-10 Foot Picker** is manufactured with smooth rounded surfaces and easily removable covers to make thorough clean up easy for cleaning personnel. Maintenance required is cleaning, regular greasing of bearings and chains and checking for worn fingers.

The specifications as stated herein are the most current at the time of publication. However, consistent with our standard of continual product development, we reserve the right to change the design without notice or obligation to modify any equipment previously sold or delivered. 12/31/2000




Berry Plumbing & Equipment

6736 Cleveland Highway, Clermont Georgia 30527

Email: tberry@berryequipment.net

Phone: 770-983-3929 Toll Free Fax: 1-866-808-9957

Berry Foot Picker Model B-FP-5-10



The specifications as stated herein are the most current at the time of publication. However, consistent with our standard of continual product development, we reserve the right to change the design without notice or obligation to modify any equipment previously sold or delivered.

12/31/2000

Berry Plumbing & Equipment

6736 Cleveland Highway, Clermont Georgia 30527

Email: tberry@berryequipment.net

Phone: 770-983-3929 Toll Free Fax: 1-866-808-9957